

Work Order ID 66618

Wednesday, February 23, 2011 7:14:11 AM

Page 1

Item ID: D4021-7

Accept

Setup Start

Revision ID:

Stop

Item Name: Hoop

Start Date: 2/23/2011 Start Qty: 6.00

Cust Item ID:

Required Date: 2/28/2011 Req'd Qty: 6.00

Customer:

Reference:

Approvals: Process Plan: CL Date: 11/02/23

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4021

B

100

0.00



Waterjet

FLOW CNC Waterjet

Memo

0.00

Cut as per dwg D4021

Prog Rev: B

Dwg Rev: B

Deburr as required

Bil-2-23

(6)

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Quality Control

Memo

0.00

Bil-2-23

W/O:			WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66618

Wednesday, February 23, 2011 7:14:11 AM

Page 2

Item ID: D4021-7

Accept

Setup Start

Revision ID:

Stop

Item Name: Hoop

Start Date: 2/23/2011 Start Qty: 6.00

Cust Item ID:

Required Date: 2/28/2011 Req'd Qty: 6.00

Customer:

Reference:

Run Start

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

6X ML 11 02 24 (6)

130

0.00



Small Fab

Memo

0.00

Small Fab

1- make radius as per dwg
2- deburr

=> m-l 11/02/24

140

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

ML 11 02 24 (6)

W/O:			WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)					
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66618

Wednesday, February 23, 2011 7:14:11 AM

Page 3

Item ID: D4021-7

Accept

Setup Start

Revision ID:

Stop

Item Name: Hoop

Start Date: 2/23/2011 Start Qty: 6.00

Cust Item ID:

Required Date: 2/28/2011 Req'd Qty: 6.00

Customer:

Reference:

Run Start

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

150

Identify as per dwg & Stock Location: *WA*

0.00



Packaging

Memo

0.00

SAD



Packaging

11-02-24

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/02/24

MF 11-02-24

W/O:			WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE				By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector	
			Initial Chief Eng	Action Description Chief Eng	Sign & Date				

NOTE: Date & initial all entries

Picklist Print

Wednesday, February 23, 2011 7:14:08 AM

Page 1

Work Order ID: 66618

Parent Item: D4021-7

Parent Item Name: Hoop



Start Date: 2/23/2011

Required Date: 2/28/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP RevA: new issue DD 09.11.25 verified by:EC IPP Rev:B as
per dwg REV.A DD 10.02.22 verified by:EC IPP Rev:C as per dwg revB
DD 10.04.20 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304B0.625X3.000		Purchased	No			100	f	5.0000	0.4166	2.631158			
304 BAR .625 X 3.00													

HB 11-2-23

Location

Loc Qty

Loc Code

MAT

116810

5

5

116810

6

W/O:			WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1




D4021-1 HANDLE PLATE




D4021-3 DATA PLATE




D4021-5 BLANKING PLATE



D4021-11 INSTRUCTIONS PLATE



D4021-7 HOOP



D4021-9 BUSHING




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 666618

02/11/02/23

RELEASED
2010-04-14
MP

B	POWDER COAT SPEC ADDED TO NOTE 2 (A8-2)	JPH	10.04.06
A	NEW ISSUE	JPH	10.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4021 TITLE MISC PARTS - 350 BASKET <small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>		
MFG. APPR.	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>		
DATE	10.04.06	REV. B	SHEET 1 OF 3
		SCALE	NTS

8 7 6 5 4 3 2 1




- NOTES:**
- 1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S11GA
 - 3F: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S20GA
 - 5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M303S16GA OR M304S16GA
 - 11: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S22GA

- 2) FINISH:** -1/-3/-11: NONE
-5: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT -1: 0.18 lbs -3: 0.35 lbs
-5: 0.14 lbs -11: 0.39 lbs




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 66618

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH	DRAWING NO. D4021	REV. B
CHECKED	<i>[Signature]</i>	TITLE MISC PARTS - 350 BASKET	SCALE NTS
MFG. APPR.	<i>[Signature]</i>	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR DISCLOSED OR TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
APPROVED	<i>[Signature]</i>	DATE 10.04.06	SHEET 2 OF 3
DE APPR.	<i>[Signature]</i>		

RELEASED
R 2010-04-14
ND



D4021-7 HOOP



D4021-9 BUSHING

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 66618

NOTES:

1) MATERIAL-7: 304/316 STAINLESS STEEL BAR, PER ASTM A276
REF DART SPEC M304B

-9: 304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276
REF DART SPEC M304R

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: N/A

7) WEIGHT -7: 0.80 lbs

-9: 0.02 lbs

RELEASED
2010-04-14
NR

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JPH	DRAWING NO.	REV. B
MFG. APPR.	JPH	D4021	SHEET 3 OF 3
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	MISC PARTS - 350 BASKET	NTS
DATE	10.04.06	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			